

Nome Prodotto
Long Term 1002B.









Destinazione d'uso

I Letti da Degenza possono essere utilizzati a domicilio o in ambiente ospedaliero. Offrono comfort e facilità di utilizzo sia per il paziente che per il personale sanitario.

Caratteristiche

- Testiera e pediera in boiserie.
- Sponde in legno integrate.
- Telaio in acciaio diviso in tre sezioni.
- Telaio con verniciatura epossidica.
- Rete a doghe saldate.
- Altezza variabile con comando elettrico: da 29 cm a 82 cm.
- Dimensione del piano d'appoggio 90x200 cm.
- Telecomando con cavo.
- Sollevamento del busto da 0° a 85°.
- Inclinazione delle gambe con comando elettrico.
- Alza-malati integrato nel telaio.
- Due supporti per flebo integrati nel telaio.
- Quattro ruote in ABS da Ø 100 mm.
- Sistema frenante manuale.
- Motore Dewert IP66 classe 1a.



Codice	Lunghezza Totale	Lunghezza Interna	Larghezza Totale	Larghezza Interna	Altezza	Dimensioni Ruote	Portata Massima	Peso Netto
Misure in Cm								
01.10.EURO1002B	211	204	102	90	29/82	10 (4")	200	64

Materiali	
Letto	Acciaio - Legno
Manutenzione e Pulizia	
La pulizia può essere fatta con panno umido ed un detergente neutro	
Conservazione e Smaltimento	
Si consiglia l'uso ad un solo utente	
Conservare al riparo da fiamme libere e fonti di calore	
Smaltire il dispositivo rispettando le normative vigenti in materia di tutela dell'ambiente e raccolta differenziata	
Confezione e Nr. Articoli	
Scatola	1 Pezzo
Garanzia	
Europea	24 mesi per difetti di fabbricazione ad esclusione delle parti consumabili
Riferimenti del Prodotto	
Fabbricante	Demarta Virgino S.r.l.
Classe di Dispositivo MDR 2017/745	Classe I
Codice ISO DM 332/99	18.12.10.003 / 12.30.09.103 / 18.12.12.103 / 24.36.06.103
Codice ISO DPCM 12.01.2017	18.12.10.009
Codice CND	Y181299
Codice RDM	2100675/R

Product Name

Long Term 1002B.

Use

The adjustable beds can be used at home or in a hospital environment. They offer comfort and ease of use for both the patient and the healthcare staff.

Features

- Wooden boiserie headboard and footboard.
- Integrated wooden siderails.
- Steel frame divided into three sections.
- Frame with epoxy painting.
- Welded slats net.
- Variable height with adjustable electric control: from 29 cm to 82 cm.
- Dimensions of the top 90x200 cm.
- Remote control with cable.
- Lifting of the torso from 0 ° to 85 °.
- Leg inclination with electric control.
- Trapeze bar integrated into the frame.
- IV pole supports integrated into the frame.
- Four Ø 100 mm ABS wheels.
- Manual braking system.
- Dewert IP66 class 1a engine.



Code	Total Length	Internal Length	Total Width	Internal Width	Height	Wheel Dimension	Maximum Load	Weight
01.10.EURO1002B	211	204	102	90	29/82	10 (4")	200	64

Materials	
Frame	Steel - Wood
Maintenance and Cleaning	
Cleaning can be done with a damp cloth and a neutral soap	
Storage and Disposal	
Single-user Product	
Keep away from heat, sparks, open flame or other sources of ignition	
Dispose of the device in compliance with current regulations on environmental protection and separate waste collection	
Package and Nr. Items	
Box	1 Piece
Warranty	
European	24 months for manufacturing defects with the exception of consumable parts
Product References	
Manufacturer	Demarta Virginio S.r.l.
Directive MDR 2017/745	Class I
ISO Code DM 332/99	18.12.10.003 / 12.30.09.103 / 18.12.12.103 / 24.36.06.103
ISO Code DPCM 12.01.2017	18.12.10.009
CND Code	Y181299
RDM Code	2100675/R

